

Original Paper

Intragroup Stigma Among Men Who Have Sex with Men: Data Extraction from Craigslist Ads in 11 Cities in the United States

Tamar Goldenberg¹, MPH; Dhrutika Vansia², MPH; Rob Stephenson¹, PhD

¹School of Nursing, Department of Health Behavior and Biological Sciences and the Center for Sexuality and Health Disparities, University of Michigan, Ann Arbor, MI, United States

²Rollins School of Public Health, Hubert Department of Global Health, Emory University, Atlanta, GA, United States

Corresponding Author:

Tamar Goldenberg, MPH

School of Nursing

Department of Health Behavior and Biological Sciences and the Center for Sexuality and Health Disparities

University of Michigan

400 North Ingalls Building

Ann Arbor, MI,

United States

Phone: 1 201 341 9291

Fax: 1 734 936 5525

Email: tamargol@umich.edu

Abstract

Background: Gay, bisexual, and other men who have sex with men (MSM) regularly experience homophobic discrimination and stigma. While previous research has examined homophobic and HIV-related intergroup stigma originating from non-MSM directed at MSM, less is known about intragroup stigma originating from within MSM communities. While some research has examined intragroup stigma, this research has focused mostly on HIV-related stigma. Intragroup stigma may have a unique influence on sexual risk-taking behaviors as it occurs between sexual partners. Online sexual networking venues provide a unique opportunity to examine this type of stigma.

Objective: The purpose of this study is to examine the presence and patterns of various types of intragroup stigma represented in Men Seeking Men Craigslist sex ads.

Methods: Data were collected from ads on Craigslist sites from 11 of the 12 US metropolitan statistical areas with the highest HIV/AIDS prevalence. Two categories of data were collected: self-reported characteristics of the authors and reported biases in the ads. Chi-square tests were used to examine patterns of biases across cities and author characteristics.

Results: Biases were rarely reported in the ads. The most commonly reported biases were against men who were not “disease and drug free (DDF),” representing stigma against men living with HIV or a sexually transmitted infection. Patterns in bias reporting occurred across cities and author characteristics. There were no variations based on race, but ageism (mostly against older men) varied based on the ad author’s age and self-reported DDF status; bias against feminine gender expression varied based on self-reported sexual orientation; bias against “fat” men varied by self-reported DDF status; bias against “ugly” men varied by a self-report of being good-looking; and bias against people who do not have a DDF status varied based on self-reported HIV status and self-reported DDF status.

Conclusions: Despite an overall low reporting of biases in ads, these findings suggest that there is a need to address intragroup stigma within MSM communities. The representation of biases and intragroup stigma on Craigslist may result from internalized stigma among MSM while also perpetuating further internalization of stigma for men who read the sex ads. Understanding patterns in the perpetuation of intragroup stigma can help to better target messages aimed at making cultural and behavioral shifts in the perpetration of intragroup stigma within MSM communities.

(*JMIR Public Health Surveill* 2016;2(1):e4) doi:[10.2196/publichealth.4742](https://doi.org/10.2196/publichealth.4742)

KEYWORDS

stigma, online, MSM, Craigslist, sex ads

Introduction

Experiencing discrimination and stigma may have negative physical and mental health consequences for gay, bisexual, and other men who have sex with men (MSM). Research examining how discrimination among MSM is experienced has addressed two pervasive and often interacting forms of stigma: discrimination based on actual or perceived sexual orientation [1,2] and discrimination based on actual or perceived HIV status [3-5]. Experiences of homophobic or HIV-related stigma have been linked with increased suicide ideation [6-8], depression [6-9], substance use [10-13], and HIV risk [10,12-15] among MSM.

Another form of stigma that MSM may experience is intragroup stigma, defined as stigma within communities of MSM. Intragroup stigma may result from either the internalization of homophobic stigma among MSM or the heterogeneity of the MSM community. Communities of MSM contain a range of individual characteristics, such as race, age, HIV serostatus, etc, which could act as the basis for the generation of stigma within the MSM community. Research has examined how HIV stigma has been perpetuated among MSM; this type of intragroup stigma can lead to a rift or fracture within MSM communities with divisions based on HIV serostatus [16-18]. Intragroup stigma among MSM may also exist based on other characteristics, such as sexual orientation, race, class, gender identity, and body size; however, these other forms of possible stigma have received less research attention. Intragroup stigma among MSM is important to examine because it may have a different influence on health than intergroup stigma. Unlike intergroup stigma, intragroup stigma can be perpetuated by romantic and/or sexual partners, which may have implications for sexual risk and the negotiation of sexual encounters.

A useful source for examining intragroup stigma among MSM and between sexual partners is through Internet-based sex-seeking websites and apps. Online sex-seeking has become increasingly popular [19,20]; an estimated 40% of MSM in the United States have used the Internet to look for a sex partner [21-25]. Research suggests that MSM who have met their partners online report more sex partners [23,24,26,27], a higher prevalence of condomless anal intercourse [24,27,28], and a higher prevalence of sexually transmitted infections (STIs) [23,24,29-31]. However, research examining men seeking sex on Craigslist, a classified advertisements website, also states that the impact of online sex-seeking on MSM's sexual risk-taking behaviors depends on the number of ads posted and the success of those ads [32]. The Internet may also have some protective factors for sexual risk-taking, such as increased negotiation around sex [33-37]. The online environment allows men seeking sex to negotiate location and type of sex and enables disclosure of information, including serostatus, prior to meeting. In a study by Grov et al, men who met their most recent sex partner online were more likely to disclose their HIV status compared with men who had met their most recent partner at other public places [25]. One reason for this increased negotiation may be the anonymity of meeting online partners. However, the anonymity, invisibility, and lack of eye contact inherent in online interactions may also result in online

disinhibition, allowing those seeking sex online to say things that they would not say face-to-face [38-40], including discriminatory or stigmatizing statements. In this study, we explore whether the authors of sex ads report biases in their ads as a measure of the presence of stigma internal to the MSM community. Understanding the presence and forms of internal stigma in sex ads has the potential to inform messages aimed at risk prevention and stigma reduction among those seeking sex in online forums.

Methods

Data were collected from 11 of the 12 metropolitan statistical areas (MSAs) with the highest HIV/AIDS prevalence in the United States, ranked by the Enhanced Comprehensive HIV Prevention Planning (ECHPP) project [41]. We chose MSAs with a high prevalence of HIV/AIDS to understand the presence and possible implications of intragroup stigma. The 12 MSAs include the cities of New York (New York), Los Angeles (California), Washington (District of Columbia), Chicago (Illinois), Atlanta (Georgia), Miami (Florida), Philadelphia (Pennsylvania), Houston (Texas), San Francisco (California), Baltimore (Maryland), Dallas (Texas), and San Juan (Puerto Rico). No Craigslist site exists for San Juan, so data were not collected. Data were extracted from ads on the Men Seeking Men section of the Craigslist sites from each of the cities.

Data collection was performed consecutively over 11 days (October 8, 2013 through October 18, 2013) with data collected from 1 city per day. After 2 data analysts developed a codebook with a list of variables for data extraction, they coded the first 50 ads for testing. Once the codebook was tested and finalized, a data analyst used the codebook to extract the data from the remaining ads. To minimize bias, data were collected from the first 200 ads listed before 2:30 PM (a randomly selected time) in each city's time zone, standardizing the time of day for which data were collected across cities. Ads that were not looking for sex (eg, ads selling sex toys) or where couples created an ad together were excluded. This allowed for the correct identification of author characteristics. The total sample size included 2200 sex ads (200 per city). No identifying information was collected, and there was no interaction between the data collector and the subjects. Data were extracted from ads, entered into an Excel (Microsoft Corp) spreadsheet, and imported into STATA version 13.1 (StataCorp LP) for analysis.

We collected two types of variables: self-reported characteristics of the ad authors and reported biases in the ads. Domains not mentioned were coded as such in the data set. Self-reported characteristics included race/ethnicity (white, black, Latino, Asian, other); age (entered as a continuous variable and later categorized into age groups 18-25, 26-35, 36-45, 46 and above); sexual orientation (homosexual, heterosexual, bisexual); HIV status (negative, positive); self-reported "disease and drug free" status ("DDF," "clean," "healthy"); and self-reported physical appearance ("good looking," "not good looking"). We use the terms "DDF," "clean," and "healthy" throughout this paper because those are the terms used by the sex ad authors. Since some characteristics were present in very few ads, categories were combined when analyzing the data. For characteristics,

the race categories were combined to include only white, black, and other, and “DDF,” “clean,” and “healthy” were combined in one DDF status category.

Biases were defined as an ad in which the author specifically reported not wanting a characteristic in a sex partner or an ad that used stigmatizing language. The ad had to contain language stating “no X” or “X only,” with X representing a specific characteristic. For example, an ad was coded as including a bias if it included language such as “no HIV positive guys” or “white men only.” The following biases were collected: racism (saying no to black/Latino/Asian/other partners), ageism (saying no to a particular age group/range), weightism (saying no to “fat” or “underweight” men), heightism (saying no to tall or short men), transphobia (saying no to transgender people), physical appearance (saying no “ugly” men), gender expression (saying no “feminine” men or “no femmes”), HIV stigma (saying no “positive” men), and DDF status (saying must be “DDF,” “clean,” or “healthy”). DDF status was included as a bias because the terms “DDF,” “clean,” and “healthy” were considered stigmatizing language [34,42]. When a bias was present, it was entered into the codebook as a 1, and when it was not present it was entered as a 0. Data were analyzed using chi-square tests to determine variation in the demographic characteristics and biases across the 11 cities and across the demographic characteristics. Fisher exact tests were used when a demographic characteristic or bias was present fewer than 5 times. The alpha denoting significance was .05.

Results

Sample Characteristics

The self-reported characteristics of the ad authors are described in [Multimedia Appendix 1](#). The majority of the ads had minimal information about author characteristics. Among ads that contained race or ethnicity (853/2200, 38.77%), 63.4% (541/853) of the authors were white, 17.1% (146/853) were black, and 19.5% (166/853) were of another race (including Latino, Asian, and those who reported as other). Reporting of race was significantly different across the 11 cities ($P<.001$), with Baltimore representing the highest percentage of authors self-reporting race (104/200, 52.0%). Among those who self-reported race, Philadelphia represented the highest percentage of authors identifying as white (46/57, 80.7%). Miami and Los Angeles had a smaller percentage of ads with authors self-reporting as white (Miami, 23/48, 47.9%; Los Angeles, 49/98, 50.0%), with more of the authors in these cities identifying as Latino (Miami, 16/48, 33.3%; Los Angeles, 35/98, 35.7%). Most ads reported age (1991/2200, 90.50%), and age reporting in ads varied significantly across the cities ($P=.003$). Among ads reporting age, the modal age group of the authors was 26 to 35 years (689/1991, 34.61%), with Chicago representing the highest percentage of ads in this age group (80/187, 42.8%). Sexual orientation was not reported in the majority of ads; of those that did report sexual orientation (174/2200, 7.91%), 77.6% (135/174) of the authors reported being bisexual, 18.4% (32/174) heterosexual, and 4.0% (7/174) homosexual. Reporting of sexual orientation varied significantly across the cities ($P<.001$), with 16.0% (23/200) mentioning

sexual orientation in New York and only 2.5% (5/200) mentioning it in Houston. Self-reports of HIV status were also low, with 86.50% (1903/2200) not mentioning their status. Among the ads that did mention self-reported HIV status (297/2200, 13.50%), 97.0% reported a negative serostatus. These reports of HIV status varied significantly across the 11 cities ($P<.001$); only 9.0% (18/200) of ads in New York self-reported HIV status compared to 26.0% (52/200) in Los Angeles. In addition, among men who did report HIV status, ads in Baltimore ($n=20$) were more likely to report a positive HIV status (3/20, 1.5%) compared with other cities. Among ads that contained self-reported DDF status (698/2200, 31.73%), 85.8% of authors reported being “DDF,” 13.9% reported being “clean,” and 0.3% reported being “healthy.” There were significant variations in DDF status across the cities ($P<.001$) with Houston representing the highest percentage of ads with authors describing themselves as “DDF,” “clean,” or “healthy” (73/200, 36.5%). The percentage of ads that contained reports of physical appearance (368/2200, 16.73%) varied significantly across the cities ($P<.001$) with Los Angeles and San Francisco representing the highest percentages of authors who reported being “good looking” (23.5% in both cities).

Reported Biases

Overview of Biases

Overall, there were very few explicit reports of biases. Bias against men who are not “DDF” was the mostly commonly reported, with 24.55% (540/2200) of ads mentioning the need for a “DDF,” “clean,” or “healthy” partner. There were also more biases against physical appearance than most other biases with 4.36% (96/2200) of ads containing bias against “ugly” men. Weightism, which almost exclusively comprised bias against “fat” men, was reported in 2.32% (51/2200) of ads. Bias against gender expression, comprising bias against “feminine” men, was reported in 1.9% of the ads. Among ads with ageist biases (34/2200, 1.55%), most reports were against older men (32/34, 94.1%). There was very little racial bias reported (7/2200, 0.32%); these biases were reported against white men ($n=4$) and black men ($n=3$). Homophobia was the lowest reported bias with only 1 ad (1/2200) expressing bias against homosexual men (0.05%). No ads contained reports of bias against height, transgender people, or HIV status.

Variations in Biases by City

Variations in reported biases by city are presented in [Tables 1-3](#) and reported by region (Northeast, South, and Midwest/West). Variations in self-reported biases by city were only significant for 3 variables: bias against physical appearance ($P<.001$), ageism ($P=.03$), and bias against men who are not “DDF” ($P<.001$). Bias against physical appearance was highest in ads from Los Angeles (24/200, 12.0%) and lowest in ads from Baltimore (4/200, 2.0%). Out of 11 cities, 9 contained ads with ageism; no ageist ads were present in New York and Washington. Among ads containing ageism, ageist bias was most present in Los Angeles with 5.0% (10/200) of ads reporting ageism overall and 4.5% (9/200) of ads reporting ageism directed at older men. Bias against men who were not “DDF,” “clean,” or “healthy” was highest in Dallas (61/200, 30.5%) and lowest in Philadelphia (33/200, 16.5%).

Table 1. Biases stratified by Northeastern cities (N=800).^a

Biases (<i>P</i> value) ^b	MSAs with the highest HIV prevalence in the United States—Northeast				
	Baltimore n (%)	New York n (%)	Philadelphia n (%)	Washington n (%)	Total n (%)
Racism (<i>P</i> =.43)	2 (1.0)	1 (0.5)	0 (0.0)	0 (0.0)	3 (0.4)
Ageism (<i>P</i> =.03)	3 (1.5)	0 (0.0)	3 (1.5)	0 (0.0)	6 (0.8)
Weightism (<i>P</i> =.10)	7 (3.5)	2 (1.0)	2 (1.0)	2 (4.0)	13 (1.6)
Physical appearance (<i>P</i> <.001)	4 (2.0)	10 (5.0)	9 (4.5)	6 (3.0)	29 (3.6)
Gender expression (<i>P</i> =.83)	5 (2.5)	3 (1.5)	2 (4.0)	3 (1.5)	13 (1.6)
Homophobia (<i>P</i> =.44)	0 (0.0)	0 (0.0)	1 (0.5)	0 (0.0)	1 (0.1)
DDF status (<i>P</i> =.001)	55 (27.5)	48 (24.0)	33 (16.5)	55 (27.5)	191 (23.9)

^an=200 in each city.^b*P* value is based on comparisons among all 11 cities.**Table 2.** Biases stratified by Southern cities (N=800).^a

Biases (<i>P</i> value) ^b	MSAs with the highest HIV prevalence in the United States—South				
	Atlanta n (%)	Dallas n (%)	Houston n (%)	Miami n (%)	Total n (%)
Racism (<i>P</i> =.43)	1 (0.5)	1 (0.5)	1 (0.5)	1 (0.5)	4 (0.5)
Ageism (<i>P</i> =.03)	1 (0.5)	1 (0.5)	3 (1.5)	4 (2.0)	9 (1.1)
Weightism (<i>P</i> =.10)	0 (0.0)	5 (2.5)	6 (3.0)	7 (3.5)	18 (2.3)
Physical appearance (<i>P</i> <.001)	6 (3.0)	11 (5.5)	7 (3.5)	5 (2.5)	29 (3.6)
Gender expression (<i>P</i> =.83)	2 (1.0)	5 (2.5)	3 (1.5)	4 (2.0)	14 (1.8)
Homophobia (<i>P</i> =.44)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
DDF status (<i>P</i> =.001)	40 (20.0)	61 (30.5)	52 (26.0)	46 (23.0)	199 (24.9)

^an=200 in each city.^b*P* value is based on comparisons among all 11 cities.**Table 3.** Biases stratified by Midwestern and Western cities (N=600).^a

Biases (<i>P</i> value) ^b	MSAs with the highest HIV prevalence in the United States—Midwest and West			
	Chicago n (%)	Los Angeles n (%)	San Francisco n (%)	Total n (%)
Racism (<i>P</i> =.43)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Ageism (<i>P</i> =.03)	4 (2.0)	10 (5.0)	5 (2.5)	19 (3.2)
Weightism (<i>P</i> =.10)	9 (4.5)	3 (1.5)	6 (3.0)	18 (3.0)
Physical appearance (<i>P</i> <.001)	8 (4.0)	24 (12.0)	6 (3.0)	38 (6.3)
Gender expression (<i>P</i> =.83)	2 (1.0)	4 (2.0)	7 (3.5)	13 (2.2)
Homophobia (<i>P</i> =.44)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
DDF status (<i>P</i> =.001)	45 (22.5)	49 (24.5)	56 (28.0)	150 (25.0)

^an=200 in each city.^b*P* value is based on comparisons among all 11 cities.

Variations in Biases by Sample Characteristics

Variations in biases by author characteristics are presented in Table 4. We found no statistically significant variation in biases based on the author's race; however, there was variation on at

least one reported type of bias for all other characteristics. Although more than 98.08% (2166/2200) of all ads across age groups contained no reports of ageism, reported ageism varied significantly by the age of the ad author (*P*=.006); 2.9% (11/381) of ads authored by those aged 18 to 25 years contained ageism

compared to those aged 36 to 45 years (1/537, 0.2%) and aged 46 years and older (5/384, 1.3%). Only men in the 26 to 35 years age group reported ageism directed at younger men ($n=2$). Ageism also varied based on DDF status. Ads authored by men who self-report as “DDF” were more likely to contain ageism (13/698, 1.9%) compared to those authored by men who did not mention their DDF status ($P=.04$).

Bias against feminine men varied significantly by the sexual orientation of the ad author ($P<.001$). Although 98.09% (2158/2200) of the ads across authors of all sexual orientations contained no bias against feminine men, 6.7% (9/135) of ads authored by bisexual men and 6.3% (2/32) of ads authored by straight men contained bias against feminine men. Men who identified as homosexual reported no bias against feminine men.

Bias against men who are not “DDF” varied by HIV status ($P<.001$) and self-reported DDF status ($P<.001$). Men who reported a negative HIV serostatus were more likely to report bias against men who are not “DDF,” “clean,” or “healthy” (96/288, 33.3%) when compared with men who report a positive

HIV serostatus (2/9, 22.2%) or men who did not mention serostatus (532/1903, 27.96%). Among men who reported a DDF status, 39.4% (275/698) reported bias to be with men who report a DDF status. Among men who do not report a DDF status, only 17.64% (265/1502) report a bias for a partner who is “DDF,” “clean,” or “healthy.”

Weightism varied significantly by the DDF status of the author ($P=.04$); 3.2% (22/698) of ads authored by men who identify as “DDF” contained weightism compared to 1.9% (29/1502) of ads authored by men who did not report their DDF status. Bias based on physical appearance varied significantly by the author’s self-report of being “good looking” ($P<.001$). Men who report being “good looking” are more likely to report bias against “ugly” men (44/368, 12.0%) compared to men who do not mention physical appearance (52/1832, 2.84%). The difference in reports of homophobic bias by age group was statistically significant ($P=.05$), but this was not a substantial finding because only 1 ad reported homophobic bias and this author did not mention his age.

Table 4. Variations in biases by author characteristics for all cities (N=2200).

Characteristics of ad authors	Biases							Total n
	Racism	Ageism	Weightism	Physical appearance	Gender expression	Homophobia	DDF	
Race, P value	.11	.87	.06	.11	.09	.99	.79	
White, n (%)	2 (0.4)	4 (0.7)	10 (1.9)	23 (4.3)	7 (1.3)	0 (0.0)	125 (23.0)	541
Black, n (%)	0 (0.0)	4 (2.7)	6 (4.1)	1 (0.7)	7 (4.8)	0 (0.0)	35 (24.0)	146
Other, n (%)	0 (0.0)	3 (1.8)	5 (0.9)	11 (2.0)	5 (0.9)	0 (0.0)	39 (7.2)	166
Not mentioned, n (%)	2 (0.3)	23 (1.8)	30 (2.2)	61 (4.5)	23 (1.7)	1 (0.1)	275 (25.1)	1347
Age, P value	.35	.006	.85	.09	.10	.049	0.88	
18-25, n (%)	0 (0.0)	11 (2.9)	10 (2.6)	20 (5.3)	12 (3.2)	0 (0.0)	96 (25.2)	381
26-35, n (%)	0 (0.0)	17 (2.5)	17 (2.5)	39 (5.7)	17 (2.5)	0 (0.0)	177 (25.7)	689
36-45, n (%)	1 (0.2)	1 (0.2)	9 (1.7)	21 (3.9)	6 (1.1)	0 (0.0)	131 (24.4)	537
46+, n (%)	3 (0.8)	5 (1.3)	10 (2.6)	9 (2.3)	5 (1.3)	0 (0.0)	87 (22.7)	384
Not mentioned, n (%)	2 (1.0)	0 (0.0)	5 (2.4)	7 (3.4)	2 (1.0)	1 (0.5)	49 (23.5)	209
Sexual orientation, P value	.10	.46	.30	.93	<.001	.99	.56	
Homosexual, n (%)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (14.3)	7
Straight, n (%)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.1)	2 (6.3)	0 (0.0)	11 (34.4)	32
Bisexual, n (%)	0 (0.0)	5 (3.7)	6 (4.4)	6 (4.4)	9 (6.7)	0 (0.0)	36 (26.7)	135
Not mentioned, n (%)	7 (0.4)	29 (1.4)	45 (2.2)	89 (4.4)	31 (1.5)	1 (0.1)	492 (24.3)	2026
HIV status, P value	.26	.96	.77	.47	.89	.93	<.001	
Negative, n (%)	2 (0.7)	5 (1.7)	8 (2.8)	16 (5.6)	6 (2.1)	0 (0.0)	96 (33.3)	228
Positive, n (%)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (22.2)	9
Not mentioned, n (%)	5 (0.3)	29 (1.5)	44 (2.3)	80 (4.2)	36 (1.9)	1 (0.1)	532 (28.0)	1903
DDF status, P value	.13	.04	.04	.27	.37	.93	<.001	
DDF, n (%)	3 (0.4)	13 (1.9)	22 (3.2)	5.6 (39)	15 (2.1)	0 (0.0)	275 (39.4)	698
Not mentioned, n (%)	4 (0.3)	21 (1.4)	29 (1.9)	3.8 (57)	20 (1.8)	1 (0.1)	265 (17.7)	1502
Physical appearance, P value	.67	.10	.58	<.001	.21	.65	.14	
Good looking, n (%)	1 (0.3)	10 (2.8)	10 (2.7)	44 (12.0)	10 (2.7)	0 (0.0)	91 (24.7)	368

Characteristics of ad authors	Biases							
	Racism	Ageism	Weightism	Physical appearance	Gender expression	Homophobia	DDF	Total n
Not mentioned, n (%)	3 (0.2)	(24 (1.4)	41 (2.2)	52 (2.8)	32 (1.8)	1 (0.1)	449 (24.5)	1832
Total	7 (0.3)	34 (1.6)	51 (2.3)	96 (4.4)	42 (1.9)	1 (0.1)	540 (24.6)	2200

Discussion

Principal Findings

These findings provide insight into the representation of biases and intragroup stigma among MSM using Craigslist to seek sex with other men. Overall, very few biases were reported. This could be indicative of the unique formatting of Craigslist ads. Since there is no prescribed form for authors to complete, we found great variation in how ads were presented. In most cases, ads included very little information, resulting in limited reports of both author characteristics and biases. However, biases that were present still showed patterns and variation.

DDF bias was the most pervasive. The saliency of using the term “DDF” is consistent with previous research examining Craigslist Men Seeking Men sex ads [43]. The use of the terms “DDF,” “clean,” and “healthy” to describe people living without HIV or STIs is stigmatizing as it implies that those who are living with HIV or an STI are “diseased” and “dirty” [34,42,44]. We also found that men who described themselves as HIV negative or as “DDF” were more likely to also present a bias to be with men who are “DDF.” Similar patterns have been found in previous research; in a qualitative study examining men who posted sex ads on Craigslist, only men with an HIV negative serostatus used the term “DDF” [34]. When terms such as “DDF” and “clean” are used by MSM with an HIV negative serostatus to describe MSM living with HIV or an STI, it contributes to intragroup HIV-related stigma and can create further serostatus-based rifts within the community [16-18]. In addition, our findings showed more variation in stigma based on an author’s self-identified DDF status than any other characteristic, indicating that men who use this stigmatizing terminology may also be more likely to perpetuate other forms of stigma.

Another important finding from these data is that when men reported sexual orientation, most men identified as straight or bisexual; bias against feminine gender expression was only present in ads by these authors. This bias was only present in 1.9% of ads overall, but this finding provides insight into who is perpetuating bias against feminine gender expression. Previous research has identified a subgroup of non-gay-identified men on Craigslist who seek sex from other non-gay-identified men (who they may believe will present as more stereotypically masculine) [45-47]. The frequency of non-gay-identified men on Craigslist may be a result of the increased anonymity and invisibility of the online environment; Craigslist sex ads may be a more private way for non-gay-identified men to seek sex with men. The representation of bias against feminine gender

expression may be reflective of the endorsement of hegemonic masculinity and stigma against men who deviate from expressing their masculinity in a way that is considered normative. The endorsement of hegemonic masculinity fails to recognize the fluid and nondichotomous nature of men’s gender expression [48], specifically defining masculinity in a way that is heterosexual [48-50]. Therefore, the endorsement of hegemonic masculinity exclusively by non-gay-identified MSM may indicate internalized stigma; this subgroup of men do not identify as gay, but their behaviors conflict with hegemonic masculinities because they are seeking sex with other men. While this representation of stigma may be an indication of the internalization of stigma, the bias against feminine gender expression may also be explained by a phenomenon where non-gay-identified men seek other men who are also non-gay-identified (who may be believed to present as more stereotypically masculine) because of a belief that there is a shared desire for privacy and nondisclosure about same-sex encounters [46]. Regardless of the reason behind why this subgroup presents it, this stated bias endorses hegemonic masculinity and stigmatizes those ad readers whose gender expression does not fit the stereotypical ideals of masculinity.

The presence of stigma in online sex ads may contribute to poor mental health and increased sexual risk for those who are seeking sex online. Men who have characteristics that are described in ads as undesirable may experience a fear of rejection, loneliness, and reduced self-esteem. These men may also perceive themselves as having less bargaining power when negotiating sex, possibly increasing sexual risk; previous research has examined how homophobic discrimination may influence behaviors associated with higher risk for HIV, including nondisclosure of HIV status [5,51,52] and condomless anal intercourse [11-14,53-55]. These biases may also contribute to internalized stigma among readers of the sex ads [5]. Previous research has found that internalized HIV stigma (the most prevalent form of stigma in this study) may lead to poor mental health outcomes, including depression and reduced self-esteem [3-5,56-58]. Internalized HIV stigma can also increase sexual risk-taking behaviors, including nondisclosure of HIV status to a sex partner [56,59,60] and increased drug use [60].

Limitations

The ad authors represented in this study are limited to men who are actively seeking sex partners online. Men who seek sex partners on Craigslist differ in characteristics from men seeking partners offline [25,61,62] and may differ from men seeking partners through other online or app-based venues. Therefore, the results cannot be generalized to all MSM. Furthermore, this

study analyzed Craigslist sites from 11 cities with the highest HIV prevalence in the United States; thus they may not be generalizable to cities with low HIV prevalence or to nonurban areas. We are also unable to verify the authenticity of the information posted on the ads, including the identities of the ad authors. Research indicates that online dating profiles and sex ads may misrepresent MSM demographics [63] resulting in possible misreporting of data for this study. However, despite any possible misrepresentations, we were still able to examine the representation of stigma within ads that are on Craigslist.

Conclusions

Despite an overall low reporting of biases in ads, these findings provide insight into patterns of stigma represented on Craigslist Men Seeking Men sex ads. These findings suggest that there is a need to address intragroup stigma within MSM communities; it is important to focus on HIV-related stigma among MSM, but it is also useful to understand other forms of intragroup stigma and how they may influence mental health outcomes and sexual risk-taking behaviors, especially for MSM who are seeking sex online. Understanding patterns in the perpetuation of intragroup stigma can help to better target messages aimed at making cultural and behavioral shifts in the perpetration of intragroup stigma within MSM communities.

Conflicts of Interest

None declared.

Multimedia Appendix 1

Descriptive statistics of sample characteristics.

[[PDF File \(Adobe PDF File\), 79KB - publichealth_v2i1e4_app1.pdf](#)]

References

1. Badgett L, Frank J. Sexual orientation discrimination: An international perspective. New York, NY: Routledge; 2007.
2. Kosciw JG, Greytak EA, Palmer NA, Boesen MJ. The 2013 National School Climate Survey: The Experiences of Lesbian, Gay, Bisexual, and Transgender Youth in Our Nation's Schools. New York, NY: Gay, Lesbian, & Straight Education Network; 2014. URL: <http://www.glsen.org/article/2013-national-school-climate-survey> [accessed 2015-11-02] [[WebCite Cache ID 6ckDsvesN](#)]
3. Cloete A, Simbayi LC, Kalichman SC, Strebel A, Henda N. Stigma and discrimination experiences of HIV-positive men who have sex with men in Cape Town, South Africa. *AIDS Care* 2008 Oct;20(9):1105-1110 [[FREE Full text](#)] [doi: [10.1080/09540120701842720](https://doi.org/10.1080/09540120701842720)] [Medline: [18608067](#)]
4. Dowshen N, Binns HJ, Garofalo R. Experiences of HIV-related stigma among young men who have sex with men. *AIDS Patient Care STDS* 2009 May;23(5):371-376 [[FREE Full text](#)] [doi: [10.1089/apc.2008.0256](https://doi.org/10.1089/apc.2008.0256)] [Medline: [19320600](#)]
5. Jeffries WL4, Townsend ES, Gelaude DJ, Torrone EA, Gasirowicz M, Bertolli J. HIV stigma experienced by young men who have sex with men (MSM) living with HIV infection. *AIDS Educ Prev* 2015 Feb;27(1):58-71. [doi: [10.1521/aeap.2015.27.1.58](https://doi.org/10.1521/aeap.2015.27.1.58)] [Medline: [25646730](#)]
6. Almeida J, Johnson RM, Corliss HL, Molnar BE, Azrael D. Emotional distress among LGBT youth: the influence of perceived discrimination based on sexual orientation. *J Youth Adolesc* 2009 Aug;38(7):1001-1014 [[FREE Full text](#)] [doi: [10.1007/s10964-009-9397-9](https://doi.org/10.1007/s10964-009-9397-9)] [Medline: [19636742](#)]
7. Haas AP, Eliason M, Mays VM, Mathy RM, Cochran SD, D'Augelli AR, et al. Suicide and suicide risk in lesbian, gay, bisexual, and transgender populations: review and recommendations. *J Homosex* 2011;58(1):10-51 [[FREE Full text](#)] [doi: [10.1080/00918369.2011.534038](https://doi.org/10.1080/00918369.2011.534038)] [Medline: [21213174](#)]
8. Meyer IH. Minority stress and mental health in gay men. *J Health Soc Behav* 1995 Mar;36(1):38-56. [Medline: [7738327](#)]
9. Wohl AR, Galvan FH, Carlos JA, Myers HF, Garland W, Witt MD, et al. A comparison of MSM stigma, HIV stigma and depression in HIV-positive Latino and African American men who have sex with men (MSM). *AIDS Behav* 2013 May;17(4):1454-1464. [doi: [10.1007/s10461-012-0385-9](https://doi.org/10.1007/s10461-012-0385-9)] [Medline: [23247362](#)]
10. Cahill S, Valadéz R, Ibarrola S. Community-based HIV prevention interventions that combat anti-gay stigma for men who have sex with men and for transgender women. *J Public Health Policy* 2013 Jan;34(1):69-81. [doi: [10.1057/jphp.2012.59](https://doi.org/10.1057/jphp.2012.59)] [Medline: [23151921](#)]
11. Kelly BC, Bimbi DS, Izienicki H, Parsons JT. Stress and coping among HIV-positive barebackers. *AIDS Behav* 2009 Aug;13(4):792-797. [doi: [10.1007/s10461-009-9586-2](https://doi.org/10.1007/s10461-009-9586-2)] [Medline: [19533321](#)]
12. Mizuno Y, Borkowf C, Millett GA, Bingham T, Ayala G, Stueve A. Homophobia and racism experienced by Latino men who have sex with men in the United States: correlates of exposure and associations with HIV risk behaviors. *AIDS Behav* 2012 Apr;16(3):724-735. [doi: [10.1007/s10461-011-9967-1](https://doi.org/10.1007/s10461-011-9967-1)] [Medline: [21630014](#)]
13. Radcliffe J, Doty N, Hawkins LA, Gaskins CS, Beidas R, Rudy BJ. Stigma and sexual health risk in HIV-positive African American young men who have sex with men. *AIDS Patient Care STDS* 2010 Aug;24(8):493-499. [doi: [10.1089/apc.2010.0020](https://doi.org/10.1089/apc.2010.0020)] [Medline: [20673080](#)]

14. Jeffries WL4, Marks G, Lauby J, Murrill CS, Millett GA. Homophobia is associated with sexual behavior that increases risk of acquiring and transmitting HIV infection among black men who have sex with men. *AIDS Behav* 2013 May;17(4):1442-1453. [doi: [10.1007/s10461-012-0189-y](https://doi.org/10.1007/s10461-012-0189-y)] [Medline: [22569942](https://pubmed.ncbi.nlm.nih.gov/22569942/)]
15. Preston DB, D'Augelli AR, Kassab CD, Starks MT. The relationship of stigma to the sexual risk behavior of rural men who have sex with men. *AIDS Educ Prev* 2007 Jun;19(3):218-230. [doi: [10.1521/aeap.2007.19.3.218](https://doi.org/10.1521/aeap.2007.19.3.218)] [Medline: [17563276](https://pubmed.ncbi.nlm.nih.gov/17563276/)]
16. Botnick MR. Part 1: HIV as 'the line in the sand'. *J Homosex* 2000;38(4):39-76. [doi: [10.1300/J082v38n04_03](https://doi.org/10.1300/J082v38n04_03)] [Medline: [10807028](https://pubmed.ncbi.nlm.nih.gov/10807028/)]
17. Courtenay-Quirk C, Wolitski RJ, Parsons JT, Gómez CA, Seropositive Urban Men's Study Team. Is HIV/AIDS stigma dividing the gay community? Perceptions of HIV-positive men who have sex with men. *AIDS Educ Prev* 2006 Feb;18(1):56-67. [doi: [10.1521/aeap.2006.18.1.56](https://doi.org/10.1521/aeap.2006.18.1.56)] [Medline: [16539576](https://pubmed.ncbi.nlm.nih.gov/16539576/)]
18. Smit PJ, Brady M, Carter M, Fernandes R, Lamore L, Meulbroek M, et al. HIV-related stigma within communities of gay men: a literature review. *AIDS Care* 2012;24(4):405-412 [FREE Full text] [doi: [10.1080/09540121.2011.613910](https://doi.org/10.1080/09540121.2011.613910)] [Medline: [22117138](https://pubmed.ncbi.nlm.nih.gov/22117138/)]
19. Chiasson MA, Parsons JT, Tesoriero JM, Carballo-Dieguez A, Hirshfield S, Remien RH. HIV behavioral research online. *J Urban Health* 2006 Jan;83(1):73-85 [FREE Full text] [doi: [10.1007/s11524-005-9008-3](https://doi.org/10.1007/s11524-005-9008-3)] [Medline: [16736356](https://pubmed.ncbi.nlm.nih.gov/16736356/)]
20. White D, Finneran C, Sato KN, Stephenson R. Sex, HIV, and the Internet: Exploring Variations in the Online Profiles of MSM in the United States. *Am J Mens Health* 2014 Jul;8(4):289-299. [doi: [10.1177/1557988313509834](https://doi.org/10.1177/1557988313509834)] [Medline: [24232583](https://pubmed.ncbi.nlm.nih.gov/24232583/)]
21. Bolding G, Davis M, Hart G, Sherr L, Elford J. Gay men who look for sex on the Internet: is there more HIV/STI risk with online partners? *AIDS* 2005 Jun 10;19(9):961-968. [Medline: [15905678](https://pubmed.ncbi.nlm.nih.gov/15905678/)]
22. Liao A, Millett G, Marks G. Meta-analytic examination of online sex-seeking and sexual risk behavior among men who have sex with men. *Sex Transm Dis* 2006 Sep;33(9):576-584. [doi: [10.1097/01.olq.0000204710.35332.c5](https://doi.org/10.1097/01.olq.0000204710.35332.c5)] [Medline: [16540884](https://pubmed.ncbi.nlm.nih.gov/16540884/)]
23. McFarlane M, Bull SS, Rietmeijer CA. The Internet as a newly emerging risk environment for sexually transmitted diseases. *JAMA* 2000 Jul 26;284(4):443-446. [Medline: [10904506](https://pubmed.ncbi.nlm.nih.gov/10904506/)]
24. Rosser BR, Miner MH, Bockting WO, Ross MW, Konstan J, Gurak L, et al. HIV risk and the internet: results of the Men's INternet Sex (MINTS) Study. *AIDS Behav* 2009 Aug;13(4):746-756 [FREE Full text] [doi: [10.1007/s10461-008-9399-8](https://doi.org/10.1007/s10461-008-9399-8)] [Medline: [18512143](https://pubmed.ncbi.nlm.nih.gov/18512143/)]
25. Grov C, Hirshfield S, Remien RH, Humberstone M, Chiasson MA. Exploring the venue's role in risky sexual behavior among gay and bisexual men: an event-level analysis from a national online survey in the U.S. *Arch Sex Behav* 2013 Feb;42(2):291-302 [FREE Full text] [doi: [10.1007/s10508-011-9854-x](https://doi.org/10.1007/s10508-011-9854-x)] [Medline: [22012413](https://pubmed.ncbi.nlm.nih.gov/22012413/)]
26. Horvath KJ, Rosser BR, Remafedi G. Sexual risk taking among young internet-using men who have sex with men. *Am J Public Health* 2008 Jun;98(6):1059-1067. [doi: [10.2105/AJPH.2007.111070](https://doi.org/10.2105/AJPH.2007.111070)] [Medline: [18445804](https://pubmed.ncbi.nlm.nih.gov/18445804/)]
27. Rosser BR, Oakes JM, Horvath KJ, Konstan JA, Danilenko GP, Peterson JL. HIV sexual risk behavior by men who use the Internet to seek sex with men: results of the Men's INternet Sex Study-II (MINTS-II). *AIDS Behav* 2009 Jun;13(3):488-498 [FREE Full text] [doi: [10.1007/s10461-009-9524-3](https://doi.org/10.1007/s10461-009-9524-3)] [Medline: [19205866](https://pubmed.ncbi.nlm.nih.gov/19205866/)]
28. Garofalo R, Herrick A, Mustanski BS, Donenberg GR. Tip of the Iceberg: young men who have sex with men, the Internet, and HIV risk. *Am J Public Health* 2007 Jun;97(6):1113-1117. [doi: [10.2105/AJPH.2005.075630](https://doi.org/10.2105/AJPH.2005.075630)] [Medline: [17463378](https://pubmed.ncbi.nlm.nih.gov/17463378/)]
29. Bull SS, McFarlane M, Lloyd L, Rietmeijer C. The process of seeking sex partners online and implications for STD/HIV prevention. *AIDS Care* 2004 Nov;16(8):1012-1020. [doi: [10.1080/09540120412331292426](https://doi.org/10.1080/09540120412331292426)] [Medline: [15511733](https://pubmed.ncbi.nlm.nih.gov/15511733/)]
30. Chiasson MA, Hirshfield S, Remien RH, Humberstone M, Wong T, Wolitski RJ. A comparison of on-line and off-line sexual risk in men who have sex with men: an event-based on-line survey. *J Acquir Immune Defic Syndr* 2007 Feb 1;44(2):235-243. [doi: [10.1097/QAI.0b013e31802e298c](https://doi.org/10.1097/QAI.0b013e31802e298c)] [Medline: [17179769](https://pubmed.ncbi.nlm.nih.gov/17179769/)]
31. Young SD, Rice E. Online social networking technologies, HIV knowledge, and sexual risk and testing behaviors among homeless youth. *AIDS Behav* 2011 Feb;15(2):253-260 [FREE Full text] [doi: [10.1007/s10461-010-9810-0](https://doi.org/10.1007/s10461-010-9810-0)] [Medline: [20848305](https://pubmed.ncbi.nlm.nih.gov/20848305/)]
32. Moskowitz DA, Seal DW. "GWM looking for sex-SERIOUS ONLY": The interplay of sexual ad placement frequency and success on the sexual health of "men seeking men"; on Craigslist. *J Gay Lesbian Soc Serv* 2010 Nov;22(4):399-412 [FREE Full text] [doi: [10.1080/10538720.2010.491744](https://doi.org/10.1080/10538720.2010.491744)] [Medline: [25435757](https://pubmed.ncbi.nlm.nih.gov/25435757/)]
33. Carballo-Diéguez A, Miner M, Dolezal C, Rosser BR, Jacoby S. Sexual negotiation, HIV-status disclosure, and sexual risk behavior among Latino men who use the internet to seek sex with other men. *Arch Sex Behav* 2006 Aug;35(4):473-481. [doi: [10.1007/s10508-006-9078-7](https://doi.org/10.1007/s10508-006-9078-7)] [Medline: [16933107](https://pubmed.ncbi.nlm.nih.gov/16933107/)]
34. Grov C, Agyemang L, Ventuneac A, Breslow AS. Navigating condom use and HIV status disclosure with partners met online: a qualitative pilot study with gay and bisexual men from Craigslist.org. *AIDS Educ Prev* 2013 Feb;25(1):72-85 [FREE Full text] [doi: [10.1521/aeap.2013.25.1.72](https://doi.org/10.1521/aeap.2013.25.1.72)] [Medline: [23387953](https://pubmed.ncbi.nlm.nih.gov/23387953/)]
35. Horvath KJ, Nygaard K, Rosser BR. Ascertaining partner HIV status and its association with sexual risk behavior among internet-using men who have sex with men. *AIDS Behav* 2010 Dec;14(6):1376-1383 [FREE Full text] [doi: [10.1007/s10461-009-9633-z](https://doi.org/10.1007/s10461-009-9633-z)] [Medline: [19921419](https://pubmed.ncbi.nlm.nih.gov/19921419/)]

36. Horvath KJ, Oakes JM, Rosser BR. Sexual negotiation and HIV serodisclosure among men who have sex with men with their online and offline partners. *J Urban Health* 2008 Sep;85(5):744-758 [FREE Full text] [doi: [10.1007/s11524-008-9299-2](https://doi.org/10.1007/s11524-008-9299-2)] [Medline: [18649141](https://pubmed.ncbi.nlm.nih.gov/18649141/)]
37. Rosenberger JG, Reece M, Novak DS, Mayer KH. The Internet as a valuable tool for promoting a new framework for sexual health among gay men and other men who have sex with men. *AIDS Behav* 2011 Apr;15 Suppl 1:S88-S90. [doi: [10.1007/s10461-011-9897-y](https://doi.org/10.1007/s10461-011-9897-y)] [Medline: [21331800](https://pubmed.ncbi.nlm.nih.gov/21331800/)]
38. Lapidot-Lefler N, Barak A. Effects of anonymity, invisibility, and lack of eye-contact on toxic online disinhibition. *Computers in Human Behavior* 2012 Mar;28(2):434-443. [doi: [10.1016/j.chb.2011.10.014](https://doi.org/10.1016/j.chb.2011.10.014)]
39. Moore MJ, Nakano T, Enomoto A, Suda T. Anonymity and roles associated with aggressive posts in an online forum. *Computers in Human Behavior* 2012 May;28(3):861-867. [doi: [10.1016/j.chb.2011.12.005](https://doi.org/10.1016/j.chb.2011.12.005)]
40. Suler J. The online disinhibition effect. *Cyberpsychol Behav* 2004 Jun;7(3):321-326. [doi: [10.1089/1094931041291295](https://doi.org/10.1089/1094931041291295)] [Medline: [15257832](https://pubmed.ncbi.nlm.nih.gov/15257832/)]
41. Enhanced Comprehensive HIV Prevention Planning and Implementation for Metropolitan Statistical Areas Most Affected by HIV/AIDS. Atlanta GA: Centers for Disease Control and Prevention; 2013. URL: <http://www.cdc.gov/hiv/prevention/demonstration/echpp/index.html> [accessed 2015-11-02] [WebCite Cache ID 6ckG6tLfb]
42. Introduction to Stigma.: The Stigma Project; 2013. URL: <http://www.thestigmaproject.org/> [accessed 2015-11-02] [WebCite Cache ID 6ckGQTSAS]
43. Grov C. Risky sex- and drug-seeking in a probability sample of men-for-men online bulletin board postings. *AIDS Behav* 2010 Dec;14(6):1387-1392. [doi: [10.1007/s10461-009-9661-8](https://doi.org/10.1007/s10461-009-9661-8)] [Medline: [20049521](https://pubmed.ncbi.nlm.nih.gov/20049521/)]
44. Powell B. HIV, Dating and Mating: An Analysis Of Stigma In Self-Presentation. 2014 Presented at: XVIII ISA World Congress of Sociology; July 13-19; Yokohama, Japan.
45. Cheeseman K, Goodlin-Fahncke W, Tewksbury R. "Looking for a Married Hookup": An Examination of Personal Ads Posted by Men Seeking Sex with Married Men. *The Journal of Men's Studies* 2012 May 8;20(2):144-157. [doi: [10.3149/jms.2002.144](https://doi.org/10.3149/jms.2002.144)]
46. Downing MJJ, Schrimshaw EW. Self-Presentation, Desired Partner Characteristics, and Sexual Behavior Preferences in Online Personal Advertisements of Men Seeking Non-Gay-Identified Men. *Psychol Sex Orientat Gend Divers* 2014 Mar 14;1(1):30-39 [FREE Full text] [doi: [10.1037/sgd0000022](https://doi.org/10.1037/sgd0000022)] [Medline: [25750927](https://pubmed.ncbi.nlm.nih.gov/25750927/)]
47. Robinson BA, Vidal-Ortiz S. Displacing the Dominant "Down Low" Discourse: Deviance, Same-Sex Desire, and Craigslist.org. *Deviant Behavior* 2013 Mar;34(3):224-241. [doi: [10.1080/01639625.2012.726174](https://doi.org/10.1080/01639625.2012.726174)]
48. Connell RW, Messerschmidt JW. Hegemonic Masculinity: Rethinking the Concept. *Gender & Society* 2005 Dec 01;19(6):829-859. [doi: [10.1177/0891243205278639](https://doi.org/10.1177/0891243205278639)]
49. Donaldson M. What is hegemonic masculinity? *Theory and society* 1993;22(5):643-657.
50. Collins P. *Black Sexual Politics: African Americans, Gender, and the New Racism*. New York: Routledge; 2004.
51. Przybyla SM, Golin CE, Widman L, Grodensky CA, Earp JA, Suchindran C. Serostatus disclosure to sexual partners among people living with HIV: examining the roles of partner characteristics and stigma. *AIDS Care* 2013;25(5):566-572 [FREE Full text] [doi: [10.1080/09540121.2012.722601](https://doi.org/10.1080/09540121.2012.722601)] [Medline: [23020136](https://pubmed.ncbi.nlm.nih.gov/23020136/)]
52. Rao D, Kekwaletswe TC, Hosek S, Martinez J, Rodriguez F. Stigma and social barriers to medication adherence with urban youth living with HIV. *AIDS Care* 2007 Jan;19(1):28-33. [doi: [10.1080/09540120600652303](https://doi.org/10.1080/09540120600652303)] [Medline: [17129855](https://pubmed.ncbi.nlm.nih.gov/17129855/)]
53. Díaz RM, Ayala G, Bein E. Sexual risk as an outcome of social oppression: data from a probability sample of Latino gay men in three U.S. cities. *Cultur Divers Ethnic Minor Psychol* 2004 Aug;10(3):255-267. [doi: [10.1037/1099-9809.10.3.255](https://doi.org/10.1037/1099-9809.10.3.255)] [Medline: [15311978](https://pubmed.ncbi.nlm.nih.gov/15311978/)]
54. Oldenburg C, Perez-Brumer A, Hatzenbuehler M, Krakower D, Novak D, Mimiaga M, et al. Structural Stigma Affects Access to Pre-and Post-exposure Prophylaxis and HIV Risk among Men Who Have Sex with Men (MSM) in the United States. *AIDS research and human retroviruses* 2014;30(S1):A22-A23.
55. Oldenburg CE, Perez-Brumer AG, Hatzenbuehler ML, Krakower D, Novak DS, Mimiaga MJ, et al. State-level structural sexual stigma and HIV prevention in a national online sample of HIV-uninfected MSM in the United States. *AIDS* 2015 Apr 24;29(7):837-845. [doi: [10.1097/QAD.0000000000000622](https://doi.org/10.1097/QAD.0000000000000622)] [Medline: [25730508](https://pubmed.ncbi.nlm.nih.gov/25730508/)]
56. Overstreet NM, Earnshaw VA, Kalichman SC, Quinn DM. Internalized stigma and HIV status disclosure among HIV-positive black men who have sex with men. *AIDS Care* 2013;25(4):466-471 [FREE Full text] [doi: [10.1080/09540121.2012.720362](https://doi.org/10.1080/09540121.2012.720362)] [Medline: [23006008](https://pubmed.ncbi.nlm.nih.gov/23006008/)]
57. Lee RS, Kochman A, Sikkema KJ. Internalized stigma among people living with HIV-AIDS. *AIDS and Behavior* 2002;6(4):309-319.
58. Earnshaw VA, Chaudoir SR. From conceptualizing to measuring HIV stigma: a review of HIV stigma mechanism measures. *AIDS Behav* 2009 Dec;13(6):1160-1177 [FREE Full text] [doi: [10.1007/s10461-009-9593-3](https://doi.org/10.1007/s10461-009-9593-3)] [Medline: [19636699](https://pubmed.ncbi.nlm.nih.gov/19636699/)]
59. Derlega VJ, Winstead BA, Greene K, Serovich J, Elwood WN. Reasons for HIV Disclosure/Nondisclosure in Close Relationships: Testing a Model of HIV-Disclosure Decision Making. *Journal of Social and Clinical Psychology* 2004 Dec;23(6):747-767. [doi: [10.1521/jscp.23.6.747.54804](https://doi.org/10.1521/jscp.23.6.747.54804)]

60. Wolitski RJ, Pals SL, Kidder DP, Courtenay-Quirk C, Holtgrave DR. The effects of HIV stigma on health, disclosure of HIV status, and risk behavior of homeless and unstably housed persons living with HIV. *AIDS Behav* 2009 Dec;13(6):1222-1232. [doi: [10.1007/s10461-008-9455-4](https://doi.org/10.1007/s10461-008-9455-4)] [Medline: [18770023](https://pubmed.ncbi.nlm.nih.gov/18770023/)]
61. Grov C. HIV risk and substance use in men who have sex with men surveyed in bathhouses, bars/clubs, and on Craigslist.org: venue of recruitment matters. *AIDS Behav* 2012 May;16(4):807-817. [doi: [10.1007/s10461-011-9999-6](https://doi.org/10.1007/s10461-011-9999-6)] [Medline: [21748276](https://pubmed.ncbi.nlm.nih.gov/21748276/)]
62. Lau JT, Kim JH, Lau M, Tsui HY. Prevalence and risk behaviors of Chinese men who seek same-sex partners via the internet in Hong Kong. *AIDS Educ Prev* 2003 Dec;15(6):516-528. [Medline: [14711165](https://pubmed.ncbi.nlm.nih.gov/14711165/)]
63. Ross MW, Rosser BR, Coleman E, Mazin R. Misrepresentation on the Internet and in real life about sex and HIV: a study of Latino men who have sex with men. *Cult Health Sex* 2006;8(2):133-144. [doi: [10.1080/13691050500485604](https://doi.org/10.1080/13691050500485604)] [Medline: [16641062](https://pubmed.ncbi.nlm.nih.gov/16641062/)]

Abbreviations

DDF: disease and drug free

ECHPP: Enhanced Comprehensive HIV Prevention Planning

MSA: metropolitan statistical area

MSM: men who have sex with men

STI: sexually transmitted infection

Edited by G Eysenbach; submitted 22.05.15; peer-reviewed by C Grov; comments to author 27.07.15; revised version received 13.08.15; accepted 14.10.15; published 05.02.16

Please cite as:

Goldenberg T, Vansia D, Stephenson R

Intragroup Stigma Among Men Who Have Sex with Men: Data Extraction from Craigslist Ads in 11 Cities in the United States

JMIR Public Health Surveill 2016;2(1):e4

URL: <http://publichealth.jmir.org/2016/1/e4/>

doi: [10.2196/publichealth.4742](https://doi.org/10.2196/publichealth.4742)

PMID: [27227158](https://pubmed.ncbi.nlm.nih.gov/27227158/)

©Tamar Goldenberg, Dhrutika Vansia, Rob Stephenson. Originally published in *JMIR Public Health and Surveillance* (<http://publichealth.jmir.org>), 05.02.2016. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in *JMIR Public Health and Surveillance*, is properly cited. The complete bibliographic information, a link to the original publication on <http://publichealth.jmir.org>, as well as this copyright and license information must be included.