Corrigenda and Addenda

Correction: The Transition of Social Isolation and Related Psychological Factors in 2 Mild Lockdown Periods During the COVID-19 Pandemic in Japan: Longitudinal Survey Study

Nagisa Sugaya¹, PhD; Tetsuya Yamamoto², PhD; Naho Suzuki³, BA; Chigusa Uchiumi², PhD

Corresponding Author:

Tetsuya Yamamoto, PhD Graduate School of Technology, Industrial and Social Sciences Tokushima University 1-1, Minamijosanjima-cho Tokushima, 770-8502 Japan

Phone: 81 88 656 7617

Email: t.yamamoto@tokushima-u.ac.jp

Related Article:

Correction of: https://publichealth.jmir.org/2022/3/e32694

(JMIR Public Health Surveill 2022;8(5):e39498) doi: 10.2196/39498

In "The Transition of Social Isolation and Related Psychological Factors in 2 Mild Lockdown Periods During the COVID-19 Pandemic in Japan: Longitudinal Survey Study" (JMIR Public Health Surveill 2022;8(3):e32694) the authors noted one error.

In Table 2 of the originally published article, the standard deviations of the PHQ-9 in phases 1 and 2 in the 'Persistent-SI'

group were missed. The table was originally published as shown in Multimedia Appendix 1.

The 2 SD values were 5.93 and 6.07, respectively, and the corrected Table 2 is as follows:



¹Unit of Public Health and Preventive Medicine, School of Medicine, Yokohama City University, Yokohama, Japan

²Graduate School of Technology, Industrial and Social Sciences, Tokushima University, Tokushima, Japan

³Graduate School of Sciences and Technology for Innovation, Tokushima University, Tokushima, Japan

Table 2. Differences and interactions between phases^a and transition of SI^b on different scales.

Phase	Mean score (SD)				Effect of phase			Effect of group			Interaction		
	No	Improved	Worsened	Persistent		P			P			P	
	SI	SI	SI	SI	F(df)	value	$\eta_G^{2^c}$	F(df)	value	η_G^2	F(df)	value	η_G^2
LSNS-6 ^d			,	,	,	•				·			
1	16.84 (3.71)	7.89 (2.77)	14.58 (2.73)	5.50 (3.31)	15.18 (1, 7889)	<.001	0.000	8071.80 (3, 7889)	<.001	0.640	2046.36 (3, 7889)	<.001	0.066
2	16.46 (3.55)	14.56 (2.83)	7.81 (2.93)	5.21 (3.28)	N/A ^e	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
UCLA-LS3	$\mathbf{g}^{\mathbf{f}}$												
1	19.56 (4.67)		22.26 (4.55)	26.41 (5.20)	10.51 (1, 7889)	.001	0.000	1096.28 (3, 7889)	<.001	0.259	38.59 (3, 7889)	<.001	0.002
2	19.87 (4.86)	22.13 (4.76)	23.38 (4.59)	26.62 (5.33)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
K6 ^g													
1	3.99 (4.38)	5.23 (5.37)	4.96 (4.88)	6.12 (5.77)	536.70 (1, 7889)	<.001	0.013	103.10 (3, 7889)	<.001	0.030	2.64 (3, 7889)	.048	0.000
2	2.63 (4.01)	3.37 (4.87)	3.68 (4.82)	4.71 (5.63)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PHQ-9 ^h													
1	3.05 (4.06)	4.41 (5.39)	4.19 (5.05)	5.53 (5.93)	168.90 (1, 7889)	<.001	0.004	126.46 (3, 7889)	<.001	0.038	2.32 (3, 7889)	.073	0.000
2	2.4 (3.89)	3.27 (5.19)	3.49 (4.88)	4.77 (6.07)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

^aPhase 1: between May 11 and 12, 2020, in the final phase of the first state of emergency; phase 2: between February 24 and 28, 2021, in the final phase of the second state of emergency.

The correction will appear in the online version of the paper on the JMIR Publications website on May 16, 2022, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

Multimedia Appendix 1

Original published version of "Table 2. Differences and interactions between phases and transition of SI^b on different scales." [DOCX File , 18 KB-Multimedia Appendix 1]



^bSI: social isolation.

 $^{{}^{}c}\eta_{G}^{2}$: 0.010, small; 0.060, medium; 0.140, large.

^dLSNS-6: Lubben Social Network Scale (shortened version).

^eN/A: not applicable.

^fUCLA-LS3: University of California, Los Angeles (UCLA) Loneliness Scale, Version 3.

^gK6: Kessler Psychological Distress Scale-6.

^hPHQ-9: Patient Health Questionnaire-9.

This is a non-peer-reviewed article. Submitted 11.05.22; accepted 12.05.22; published 16.05.22.

Please cite as:

Sugaya N, Yamamoto T, Suzuki N, Uchiumi C

Correction: The Transition of Social Isolation and Related Psychological Factors in 2 Mild Lockdown Periods During the COVID-19

Pandemic in Japan: Longitudinal Survey Study JMIR Public Health Surveill 2022;8(5):e39498 URL: https://publichealth.jmir.org/2022/5/e39498

doi: 10.2196/39498

PMID:

©Nagisa Sugaya, Tetsuya Yamamoto, Naho Suzuki, Chigusa Uchiumi. Originally published in JMIR Public Health and Surveillance (https://publichealth.jmir.org), 16.05.2022. This is an open-access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Public Health and Surveillance, is properly cited. The complete bibliographic information, a link to the original publication on https://publichealth.jmir.org, as well as this copyright and license information must be included.

